

**Haryana Medical Services Corporation Limited,  
(A Government of Haryana Undertaking)  
Bays No 59-62, Sector 2, Panchkula.  
Phone: 0172-575578**

**Dated**

**CORRIGENDUM REGARDING SPECIFICATION MEDICINES & MEDICAL CONSUMABLES**

**Group-C**

Tender Reference No. HMSCL/Tend./2015-16/3/4-A-03 dated 08.10.2015 bid submission date 04.11.2015 onwards. The purchase of Glutraldehyde Solution 1% IP, 5 liter has been **dropped of DNIT at Sr. No. 1** in Group-C

**Managing Director  
Haryana Medical Service Corporation Ltd.**

**Haryana Medical Services Corporation Limited,  
(A Government of Haryana Undertaking)  
Bays No 59-62, Sector 2, Panchkula.  
Phone: 0172-575578**

Dated

**CORRIGENDUM**

**Clarifications Regarding Terms & Conditions of Medicines & Medical Consumables  
w.r.t to TENDER REFERENCE NO. HMSCL/TEND./2015-16/3/4-A-03 DATED 08.10.2015 bid  
submission date 30.12.2015 .**

<b>Regarding representation of the firms. Tender Reference No. HMSCL/Tend./2015-16/3/4-A-03 Group-C</b>			
<b>Sr. No.</b>	<b>Name of the Firm</b>	<b>Representation by the firm</b>	<b>HMSCL reply</b>
1	Vinayaka Manutrade	As per your point 4.2 of eligibility criteria, the manufacturer should have a valid WHO- GMP inspection certificate in line with the WHO certification scheme and certificate of pharmaceutical products. It is to inform that WHO -GMP certificate and COPP is not applicable on consumable and medical devices	WHO GMP along with COPP is compulsory wherever applicable
2	K.S Surgical	do	WHO GMP along with COPP is compulsory wherever applicable
3	R.R Medicare products	do	WHO GMP along with COPP is compulsory wherever applicable
4	Wilson Tapes Pvt. Ltd.	do	WHO GMP along with COPP is compulsory wherever applicable
5	Om Surgical industries	do	WHO GMP along with COPP is compulsory wherever applicable
6	Sterimed Surgicals india pvt. Ltd	do	WHO GMP along with COPP is compulsory wherever applicable
7	Sterimed Medical Devices Pvt. Ltd.	do	WHO GMP along with COPP is compulsory wherever applicable

8	Biomed health care Products Pvt.Ltd.	do	WHO GMP along with COPP is compulsory wherever applicable
9	Albert David Limited	This is bringing to notice that who-GMP certificate along with certificate of Pharmaceutical product is being provided by the Drug department for Disposable syringes and needles. You are requested to kindly not amend the terms and conditions of the tender in context of WHO - GMP along with COPP for procuring Quality products	Agreed with conditions of DNIT
11	Devparv surgico	As per your point 4.2 of eligibility criteria, the manufacturer should have a valid WHO- GMP inspection certificate in line with the WHO certification scheme and certificate of pharmaceutical products. It is to inform that WHO -GMP certificate and COPP is not applicable on consumable and medical devices	WHO GMP along with COPP is compulsory wherever applicable
12	Airways	same as above	WHO GMP along with COPP is compulsory wherever applicable
13	Navdeep chemicals	In regard of WHO GMP to be replaced with CE/ISO/ISI(any of these) in DML Products where WHO GMP is not applicable like crepe bandages, POP bandages & dressing bandages, dressing tapes, adhesive tapes, Tender of Group C which is due on 30/11/2015. CE (Confirmatory European) is applicable only on Medical Devices & various kinds of bandages on Exports, products may fall under DML (Drug Manufacturing Licence). WHO GMP only completes with COPP (Certificate of Pharmaceutical Products). Otherwise, WHO GMP does not have any existence basis. On medical devices & other various kinds of bandages do not fall under COPP because none of	WHO GMP along with COPP is compulsory wherever applicable

		<p>any Pharmacopoeia explains the standards of above stated items. To prevent any other bidder to participate in the Bidding process and so as to avoid any unhealthy competition, amendments in conditions are required with any of these CE/ISO/ISI certification for products whether or not falling under DML. Re packing chemicals are to be purchased with parameter of IP/BP/USP standard only since being consumed by human purpose only and also not to be included in turnover clause. Only GMP certification to be mandatory. POP Bandages, crape bandages, adhesive plaster, dressing paper tape etc. are not to be included in turnover clause. Only GMP certification to be mandatory.</p>	
14	Shailesh Surgical	<p>As per your point 4.2 of eligibility criteria, the manufacturer should have a valid WHO- GMP inspection certificate in line with the WHO certification scheme and certificate of pharmaceutical products. It is to inform that WHO –GMP certificate and COPP is not applicable on consumable and medical devices</p>	<p>WHO GMP along with COPP is compulsory wherever applicable</p>
16	Durga Surgical Corporation	<p>We are registered as SSI firm in Sonapat, Hr. So we had to deposit full security or as per MSME notification.</p> <p>1) The time of this tender to be increase up to 15-12-2015 if possible because of festival season in this month.</p> <p>2) The rates in BOQ are to be quoted as per Technical Specification mention against each items.</p> <p>3)In condition at page no. 17 4.2 of GMP is required WHO GMP with COOP which is required for export</p>	<p>1. Extended</p> <p>2. Agreed.</p> <p>3. WHO GMP along with COPP is compulsory wherever applicable</p>

		<p>and not for the govt. tenders for the items like bandages, cotton, gauze. For this GMP is required in all tenders of India whether it is GMSCL, Gujarat, DHS, Delhi, PHSC, Punjab and you can verify the same from drug department and made the necessary changes.</p> <p>4) In condition at page no.18 4.3.4 the bidder also submits quintiles manufactured and marked of the items quoted in the last three years along with the batch size. Documents attested by chartered accountant. In place of this we can put the batch production certificate signed by the drug department in which the batch no., batch quantity is mention of each year.</p> <p>5) In condition at page no.19 of 4.5 Non Conviction certificate is attached as per the drug department language at the time of tender.</p> <p>6) The affidavit amount on which condition no.4.5.2 at page no. 19 is to be put in.</p> <p>7) The condition at page no.28 (o) the vat clearance certificate is required. I just want to know it will be issued as per the format of sales tax department not as per Annexure 8.4.</p> <p>8) In condition at page no.29 5.13 the samples will be required at the time of tender or as when asked for.</p> <p>9) In condition at page no.47 7.8.6 where the penalty is 20% can be reduced if possible as it is a huge percentage.</p>	<p>4. <b>Clause 4.3.4</b> Quantity manufactured and supplied will be acceptable either from CA or Drug controller</p> <p>5. As per format of concerned state drug authority.</p> <p>6 The amount of Affidavit as per the Indian Stamp Act, 1899.</p> <p>7 No Sale tax clearance certificate required</p> <p>8. Sample testing is the discretion of bid evaluation committee wherever it requires as Para 5.23 of the DNIT.</p> <p>9. No change</p>
--	--	---	--

		<p>10) In condition at page no.46 7.7.3 where the firm will replace the balance stock if he will be informed in advance 180 days can this condition is removed because it is up to to use this material or not which makes this conditions is not justifiable.</p> <p>11) The bar coding is required for all vendors who will quote the tender. It is required in primary, secondary or tertiary packing. The format is to be cleared.</p> <p>12) In condition at page no.48 7.12.3 where the testing charges charged by you is 1.5% on purchase order value which increase the cost of the products. So it can be removed or reduced. The payment condition will be made in 30 days from the date of supply instead of 30 days from the report date which is not justified.</p> <p>13) There are many Annexure was there in this tender. So kindly confirm is to be put in the tender or not.</p>	<p>10. No Change</p> <p>11. Bar Coding required on secondary and tertiary packing only</p> <p>12. No change</p> <p>13. Annexures are suggestive please check DNIT clause no 5.12.1 for documents required. 10 MB space is available bidder is advised to reduced the coloured pages and submit essential documents. All brochures of the non essential documents can be submitted in hard copy</p>
17	Hab Pharma	This letter is in reference with the tender ref. no HMSCL /Tend /2015-16/3/4-A-02 in which we are keen interested to participate. We have gone through with all the terms and condition of the tender and we found OK but we are unable to submit sale	No Sale tax clearance certificate required

		tax verification as per annexure 8.4 as our excise and taxation department is unable to give the same in the format given in the tender. In lieu of this we can submit sale tax clearance certificate duly signed by the concerned authorities.	
18	K.S Surgicals	It is pertinent to mention here that currently the Haryana Govt. procuring the gauge and bandage according to schedule F-II. The Haryana Govt. laboratories also test these items according to schedule F-II.	No change
19	Tejender Goyal small scale industries	For Group C. These products are micro units and even do not fall in the category of small units. Hence being tiny it's very difficult to have a sales turnover of Rs. 1 crore each year. Hence the same should be average of Rs. 1 crore of the last 3 years and same is being considered in neighbouring states of HP, UK, MP.etc. Further very small units don't have WHO GMP and requested to reevaluate the conditions.	No Change
20	Jindal Photo	<p>1. Testing charges @ 1.5% will be deducted from bills to all testing charges herein please note that in India there is no approval lab or testing who is testing the characteristics of X-ray films. Only the end user or our in house testing lab can judge the quality of radiograph. Firm requested to kindly exempt medical x-ray film from the above clause. The house test report will be accompanied along with each supply.</p> <p>2. No manufacturer in India is adhering to Bar coding on the packets/cartoon of Medical X-ray films hence it may be deleted from the terms &amp; conditions.</p>	<p>1 No change.</p> <p>2 No change</p>

		3. Shrink packing to kept optional for x-ray films as it is not required for India climactic conditions.	3 Please refer to annexure 8.11 for Packaging information
21	Seven Seas	<p>1. WHO GMP not is applicable on surgical dressing items as well as on disposable items. And requested to ask GMP certificate on the renderer.</p> <p>2. 20% damage charges be amended as the maximum penalty be kept 0.5% weekly</p> <p>3. Time of performance security is given 21 days instead of 7 days.</p> <p>4. Performance security be taken 5% instead of 10% and the same may be taken order wise only.</p> <p>5. Testing charges are too much the same be deducted from the bills of the supplier in actual.</p>	WHO GMP along with COPP is compulsory wherever applicable. Others no change
22	Global Medical Kit	1. WHO GMP certificate is not applicable on consumables/ medical devices and requested to remove condition WHO GMP certification for consumable items.	WHO GMP along with COPP is compulsory wherever applicable
23	Casil Industries Ltd.	<p><b>Please refer Page No.21</b> of Tender Document. It is mentioned that -  “5.2 Cost of Bidding  (a) Bid fee: The bid fee along with the processing charges amounting to Rs 2500/- shall be deposited in the form of DD/Banker cheque in favour of MD, HMSCL, payable at Panchkula.”</p> <p><b>Our Query:</b> Have we to prepare two separate DD of Rs.2500 against the Bid Fee and Processing Charges? Please inform</p> <p><b>Our Query:</b> Have we to quote the rate for 10x1 Qty or only 1 Qty? Please inform.  What is the Tender Qty? Is is 79618x10 = 796180, 105842x10 = 105842? Please inform.</p>	<p><b>BID Fee</b> and processing charges are clubbed together only single DD of Rs 2500/- to be made against bid fee and processing charges.</p> <p>The rates in BOQ be quoted as per packing mentioned against each item in DNIT. E.g. if the packing is 10X10 the rates be quoted for 100 tablets, if the pack is 10 the rate be</p>

		[3] Places of Delivery : You are requested to inform the places of delivery in Haryana	quoted for 10 only, if it is mentioned as I ampoule or 60 ml bottle the rate be quoted for single bottle or ampule or vial.  Anywhere in Haryana. (Mostly in Seven Warehouses in Haryana).
--	--	--	--

- The rates in BOQ be quoted as per packing mentioned against each item in DNIT. E.g. if the packing is 10X10 the rates be quoted for 100 tablets, if the pack is 10 the rate be quoted for 10 only, if it is mentioned as I ampoule or 60 ml bottle the rate be quoted for single bottle or ampule or vial.
- **Annexure 8.4** is only suggestive the No sales tax clearance certificate required.
- **Documents** Self attested documents only are required on letter head except where mentioned explicitly.
- **Uploaded** 10 MB space is available bidder is advised to reduced the colored pages and submit essential documents as mentioned in clause 5.12.1. All brochures of the non essential documents can be submitted in hard copy.
- **Bar Coding is** required as per DNIT clause 7.11 on secondary and tertiary packing.
- **BID Fee** and processing charges are clubbed together only single DD of Rs 2500/- to be made against bid fee and processing charges.
- **WHO-GMP** is mandatory for the Product WHO GMP along with COPP is compulsory wherever applicable.
- **Quantity manufactured and supplied** as par 4.3.4 Either from CA or Drug controller will be acceptable

All others terms & conditions are remain the same.

**Managing Director**  
**Haryana Medical Service Corporation Ltd.**